CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG   888888      11      222222                GGGGGGG
GG        88    88    111     22    22             GG
GG        88    88     11           222            GG
GG  GGGG   888888      11         222              GG  GGGG
GG    GG  88    88     11       22                 GG    GG
GG    GG  88    88     11      22                  GG    GG
 GGGGGG    888888   11111111  22222222              GGGGGG
```

CROSSTABS

DCON, DCONCL, DMR,
DPAR, DRAE, DPAM
BY GGNSGR

PROCESSING SITE = CC

JOB ID = . SYSTEM SEQUENCE = JBXG

77/03/27. 21.24.50.

23 MAR - NOTICE OF SPRING VACATION SCHEDULE, NEW VERSION OF
BMD P-SERIES, SEE THE BULLET.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SUNDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

DATA DOCUMENTS/INC., SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS/INC., SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
                MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
                               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
                               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
                               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
                               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
                               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
                               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
                               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
                               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
                               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
                               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
                               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
                               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
                MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
                               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
                               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
                               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
                               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
                               PRAGE(0,99)
                CROSSTABS      VARIABLES=DCON(1,7),DCONCL(1,7),DMR(1,7),DPAR(1,7),DPAE(1,7),
                               DPAM(1,7)./GENSER(1,7)/TABLES=DCON,DCONCL,DMR,DPAR,DPAE,DPAM BY
                               GENSER
                STATISTICS     ALL
                READ INPUT DATA

          042700 CM NEEDED FOR CROSSTABS
```

DATA DOCUMENTS/INC. 55-192

UNIVERSITY OF COLORADO COMPUTING CENTER

TRIAL RUN FOR THE PARLEMENT 77/03/27. PAGE 5

FILE PARIS (CREATION DATE = 77/03/27.)

* CROSSTABULATION OF *

DCON BY GENSER

* * * * * * * * * * * * * * * * * * * \

NUMBER OF MISSING OBSERVATIONS = 259

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/27.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF *
DCONCL BY GENSER
* PAGE 1 OF 1

DCONCL	GENSER 1	2	3	4	6	ROW TOTAL
2	COUNT 12	2	2	0	0	16
	ROW PCT 75.0	12.5	12.5	0	0	20.5
	COL PCT 25.5	11.8	16.7	0	0	
	TOT PCT 15.4	2.6	2.6	0	0	
3	COUNT 7	5	2	0	0	14
	ROW PCT 50.0	35.7	14.3	0	0	17.9
	COL PCT 14.9	29.4	16.7	0	0	
	TOT PCT 9.0	6.4	2.6	0	0	
4	COUNT 6	2	3	0	0	11
	ROW PCT 54.5	18.2	27.3	0	0	14.1
	COL PCT 12.8	11.8	25.0	0	0	
	TOT PCT 7.7	2.6	3.8	0	0	
5	COUNT 7	4	1	0	1	13
	ROW PCT 53.8	30.8	7.7	0	7.7	16.7
	COL PCT 14.9	23.5	8.3	0	100.0	
	TOT PCT 9.0	5.1	1.3	0	1.3	
6	COUNT 9	1	2	0	0	12
	ROW PCT 75.0	8.3	16.7	0	0	15.4
	COL PCT 19.1	5.9	16.7	0	0	
	TOT PCT 11.5	1.3	2.6	0	0	
7	COUNT 6	3	2	1	0	12
	ROW PCT 50.0	25.0	16.7	8.3	0	15.4
	COL PCT 12.8	17.6	16.7	100.0	0	
	TOT PCT 7.7	3.8	2.6	1.3	0	
COLUMN	47	17	12	1	1	78
TOTAL	60.3	21.8	15.4	1.3	1.3	100.0

RAW CHI SQUARE = 17.22522 WITH 20 DEGREES OF FREEDOM. SIGNIFICANCE = .6383
CRAMER'S V = .23497
CONTINGENCY COEFFICIENT = .42531
LAMBDA (ASYMMETRIC) = .09677 WITH DCONCL DEPENDENT. = 0 WITH GENSER DEPENDENT.
LAMBDA (SYMMETRIC) = .06452
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .05070 WITH DCONCL DEPENDENT. = .08723 WITH GENSER DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .06413
KENDALL'S TAU B = .07291. SIGNIFICANCE = .2231
KENDALL'S TAU C = .06243. SIGNIFICANCE = .2231
GAMMA = .10512
SOMERS'S D (ASYMMETRIC) = .08837 WITH DCONCL DEPENDENT. = .06015 WITH GENSER DEPENDENT.
SOMERS'S D (SYMMETRIC) = .07158
ETA = .18254 WITH DCONCL DEPENDENT.
ETA = .20246 WITH GENSER DEPENDENT.

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

NUMBER OF MISSING OBSERVATIONS = 721

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/27.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *
DMR BY GENSER
* * * * * * * * * * * * * * * * * * \

NUMBER OF MISSING OBSERVATIONS = 501

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/27.)

* C R O S S T A B U L A T I O N O F *

DPAR BY GENSER

* * * * * * * * * * * * * * * * * * * \

NUMBER OF MISSING OBSERVATIONS = 781

DATA DOCUMENTS/INC. 55-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/27.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

DPAE BY GENSER

* * * * * * * * * * * * * * * * * * \

NUMBER OF MISSING OBSERVATIONS = 760

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/27.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF *
DPAM BY GENSER
* PAGE 1 OF 1

DPAM	GENSER 1	2	3	4	6	ROW TOTAL
2	3	5	2	0	0	10
	30.0	50.0	20.0	0	0	37.0
	60.0	41.7	33.3	0	0	
	11.1	18.5	7.4	0	0	
3	0	1	0	0	0	1
	0	100.0	0	0	0	3.7
	0	8.3	0	0	0	
	0	3.7	0	0	0	
4	1	2	1	0	0	4
	25.0	50.0	25.0	0	0	14.8
	20.0	16.7	16.7	0	0	
	3.7	7.4	3.7	0	0	
5	0	0	1	2	0	3
	0	0	33.3	66.7	0	11.1
	0	0	16.7	66.7	0	
	0	0	3.7	7.4	0	
6	1	4	1	0	0	6
	16.7	66.7	16.7	0	0	22.2
	20.0	33.3	16.7	0	0	
	3.7	14.8	3.7	0	0	
7	0	0	1	1	1	3
	0	0	33.3	33.3	33.3	11.1
	0	0	16.7	33.3	100.0	
	0	0	3.7	3.7	3.7	
COLUMN TOTAL	5 18.5	12 44.4	6 22.2	3 11.1	1 3.7	27 100.0

RAW CHI SQUARE = 26.91000 WITH 20 DEGREES OF FREEDOM. SIGNIFICANCE = .1378
CRAMER≠S V = .49917
CONTINGENCY COEFFICIENT = .70652
LAMBDA (ASYMMETRIC) = .17647 WITH DPAM DEPENDENT. = .20000 WITH GENSER DEPENDENT.
LAMBDA (SYMMETRIC) = .18750
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .28344 WITH DPAM DEPENDENT. = .32930 WITH GENSER DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .30465
KENDALL≠S TAU B = .35478. SIGNIFICANCE = .0146
KENDALL≠S TAU C = .32579. SIGNIFICANCE = .0146
GAMMA = .45894
SOMERS≠S D (ASYMMETRIC) = .36965 WITH DPAM DEPENDENT. = .34050 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .35448
ETA = .47785 WITH DPAM DEPENDENT.
ETA = .76659 WITH GENSER DEPENDENT.

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER